Journal of Engineering and Applied Sciences 11 (10): 2331-2336, 2016

ISSN: 1816-949X

© Medwell Journals, 2016

# Synergistic Effect of Ammonium Polyphosphate and Human Hair Keratin on Thermal and Flame Retardant Properties of Cotton Fabric

<sup>2</sup>Jitsopa Chaliewsak, <sup>1</sup>Manchumas Prousoontorn and <sup>1</sup>Sireerat Charuchinda <sup>1</sup>Department of Materials Science, <sup>2</sup>Department of Biochemistry, Faculty of Science, Chulalongkorn University, Chulalongkorn, Thailand

**Abstract:** Wool keratin has natural flame resistant properties such as higher ignition temperature and limiting oxygen index than other natural fibers. In this study, keratin extracted from human hair was used as a flame retardant onto cotton fabric. Moreover, the keratin was also combined with Ammonium Polyphosphate (AP423) to study the synergistic flame retardant action onto cotton fabric. The extracted human hair keratin and finished cotton fabric were then characterized by FTIR and TGA. The flame retardancy was investigated using UL94 tester according to ASTM D 4804 thin material vertical burning test. Cotton fabric treated with 10% AP423 alone exhibited excellent flame retardancy (VTM 0) whereas with 5% extracted keratin alone did not. However, the addition of only 5% AP 423 and 5% extracted keratin improved flame retardancy from no rating to VTM 1.

Key words: Keratin, ammonium polyphosphate, cotton fabric, TGA, UL94 VTM

## INTRODUCTION

One of the major problems in textiles fibers is the flammable behavior of fibers. Natural fibers such as cotton, linen and silk burn vigorously and some synthetic fibers such as polyester and nylon burn slowly but melt and drip hot molten polymers. Wool is more difficult to ignite and burn than cotton and some synthetic fibers. Wool composes of  $\alpha$ -keratin which has  $\alpha$ -helix structure and found in hair, nail, horn, hooves and epidermis mammals. Wool has natural flame resistant properties such as high ignition temperature (570-600°C), low heat of combustion (20.5 kJ g<sup>-1</sup>), low flame temperature (680°C) and high Limiting Oxygen Index (LOI) (25-28%) (Tian et al., 2003). Therefore, keratin could be applied as a flame retardant onto cotton fabric. Keratin is an insoluble protein and can withstand light, water and weather changes because it has disulfide bonds cross-linking between cystine amino acid in its structures. Applications of keratin are commonly used in cosmetics and biomaterials because of its special properties such as biocompatibility, biodegradability, mechanical durability and availability (Rouse and Van-Dyke, 2010; Hill et al., 2010).

Ammonium Polyphosphate (APP) is a phosphorus-based flame retardant which has two modes

of action in flame retardancy materials, gas theory and dehydration theory. In gas theory, when APP was heated, non-flammable gas (NH<sub>3</sub>) was released to dilute oxygen in pyrolysis. In dehydration theory, APP decomposed to phosphoric acid or polyphosphoric acid and then dehydrated cellulose to form char. Moreover, APP is commonly used as a blowing agent and acid source in the intumescent system (Xia *et al.*, 2014; Dittrich *et al.*, 2014).

In this study, human hair keratin (from commercial source and from extraction by using Shindai solution) was combined with a commercial Ammonium Polyphosphate (AP423) onto cotton fabric using pad-dry-cure process. The synergistic effect of ammonium polyphosphate and keratin on thermal and flame retardant properties of cotton fabric was focused non-flammable gases of keratin (NH<sub>3</sub> and SO<sub>2</sub>) were expected to liberate when AP423 and keratin were heated to form intumescent char (Charuchinda et al., 2005; Gaan et al., 2008). The functional groups of AP423, keratin and finished cotton fabrics and thermal properties were characterized using Fourier Transform Infrared Spectroscopy (FTIR) and Thermal Gravimetric Analysis (TGA). The flame retardancy was investigated using UL94 according to ASTM D 4804 thin material vertical burning test.

Table 1: Formulations of flame retardant finishing

| Formulation       | AP423 (wt%) | KC4 (wt%) | KSb (wt%) | Formulation | AP423 (wt%) | KCª (wt%) | KSb (wt%) |
|-------------------|-------------|-----------|-----------|-------------|-------------|-----------|-----------|
| Unfinished fabric | 0           | 0         | 0         | AP5         | 5           | 0         | 0         |
| KC1               | 0           | 1         | 0         | AP7         | 7           | 0         | 0         |
| KC3               | 0           | 3         | 0         | KC1AP5      | 5           | 1         | 0         |
| KC5               | 0           | 5         | 0         | KC3AP5      | 5           | 3         | 0         |
| KS1               | 0           | 0         | 1         | KC5AP5      | 5           | 5         | 0         |
| KS3               | 0           | 0         | 3         | KS1AP5      | 5           | 0         | 1         |
| KS5               | 0           | 0         | 5         | KS3AP5      | 5           | 0         | 3         |
| AP1               | 1           | 0         | 0         | KS5AP5      | 5           | 0         | 5         |
| AP3               | 3           | 0         | 0         |             |             |           |           |

<sup>a</sup>Commercial keratin; <sup>b</sup>Crude keratin

## MATERIALS AND METHODS

**Experimental:** Human hair waste was collected from local hair salon in Bangkok, Thailand. Urea, thiourea, 2-amino-2-hydroxymethylpropane-1,3-diol (Tris), 2-mercaptoethanol and n-hexane were purchased from Sigma-Aldrich. Spectra/Por® dialysis membrane (MWCO 6000-8000 Da) was purchased from Spectrum Laboratories, Inc. Filter Paper (grade 40:8 µm) was purchased from Whatman Ltd. Commercial human hair keratin (98% Hydrolyzed keratin powder) was purchased from Xi'an Aladdin Biological Technology Co., Ltd. Ammonium Polyphosphate (APP) was a micronized APP (phase II) with extremely low water solubility called Exolit® AP423 and was provided by Clariant International Ltd. A plain woven cotton fabric was purchased by Boonchuay Industial Co., Ltd.

**Keratin extraction:** The crude keratin used in this study was extracted from human hair based on Shindai method by using Shindai's solution containing 25 mM Tris, pH 8.5, 2.6 M thiourea, 5 M urea and 5% 2-mercaptoethanol at 50°C under atmospheric pressure for 72 h (Nakamura *et al.*, 2002; Chaliewsak and Charuchinda, 2013). This extraction time was the optimal condition for providing the maximal dry weight yield and protein yield of the crude keratin.

**AP423 and keratin solutions preparation:** All solutions were prepared by diluting in distilled water and stirred with magnetic stirring bar. The detailed formulations of each solution are given in Table 1.

**Cotton fabric finishing:** Cotton fabric was finished with the prepared solutions using a padding mangle at 80-90% wet pick up and then cured at 110°C for 3 min.

**Characterization:** The functional group of AP423, keratin and finished cotton fabric were characterized using Fourier Transform Infrared spectroscopy (FTIR) in transmittance mode (Nicolet 6700, Thermo Scientific,




Fig. 1: FTIR spectra of a) human hair, b) commercial keratin, c) crude keratin, d) unfinished cotton fabric, finished cotton fabric e) with 5 wt% of commercial keratin and f) with 5 wt% of crude keratin




Fig. 2: FTIR spectra of a) AP423, b) commercial keratin, c) crude keratin, d) unfinished cotton fabric, finished cotton fabric e) with 5 wt% of AP423, f) with 5 wt% of AP423 and 5 wt% of commercial keratin and g) with 5 wt% of AP423 and 5 wt% of crude keratin

USA). The thermal properties were investigated using Thermal Gravimetric Analysis (TGA) (Mettler-Toledo, USA) under nitrogen condition. The analyses were

monitored between 50 and 800°C at a heating rate of 20°C min<sup>-1</sup> and a gas flow rate of 20 mL min<sup>-1</sup>. The flame retardancy was tested using UL94 tester (Atlas HVUL2 Horizontal Vertical Flame Chamber, SDL Atlas, Inc, USA) according to ASTM D 4804 thin material vertical burning test. The burning behavior was recorded by digital video camera.

#### RESULTS AND DISCUSSION

Functional group of AP423, keratin and finished cotton fabrics: FTIR spectra of AP423, keratin and the finished cotton fabrics are shown in Fig. 1 and 2. Both commercial keratin and crude keratin presented the similar absorption peaks as shown in human hair (3300 cm<sup>-1</sup> (N-H and O-H), 2900 cm<sup>-1</sup> (CH<sub>2</sub>), 1635 cm<sup>-1</sup> (amide I), 1525 cm<sup>-1</sup> (amide II), 1222 cm<sup>-1</sup> (amide III) and 1300-1000 cm<sup>-1</sup> (S-S)) which are in agreement with wool keratin in the previous research work by Xu et al. (2006). Unfinished cotton fabric presented the absorption peaks at 3300 cm<sup>-1</sup> (H-bond and O-H), 2800 cm<sup>-1</sup> (C-H), 1600 cm<sup>-1</sup> (carboxylate stretch) 1377 and 1270 cm<sup>-1</sup> (C-H) and 1200-1000 cm<sup>-1</sup> (C-O) (Chung et al., 2004). The finished cotton fabrics with both commercial keratin and crude keratin presented the new characteristic peaks of keratin (1635 cm<sup>-1</sup> (amide I) and 1525 cm<sup>-1</sup> (amide II)) on unfinished cotton fabric. AP423 presented the absorption peaks at 3151, 2997 and 2796 cm<sup>-1</sup> (ammonium group), 1623 cm<sup>-1</sup> (P-OH), 1404 cm<sup>-1</sup> (NH<sub>4</sub>+bending), 1238 cm<sup>-1</sup> (P = O),  $1050-1000 \text{ cm}^{-1} (PO_3)$ ,  $900-800 \text{ cm}^{-1} (P-O) (Drevelle)$ et al., 2005; Carosio et al., 2012). The finished cotton fabrics with AP423 presented the decrease in intensity of peaks around 3300 and 1200-1000 cm<sup>-1</sup> with increase in the concentration of AP423 on the fabrics due to the dehydration between P-OH of AP423 and O-H of cotton fabric. In addition, the new absorption peaks at 800 cm<sup>-1</sup> (P-O) due to the presence of AP423 was also presented. The combination of AP423 and commercial keratin onto cotton fabrics presented the decrease in intensity of peaks around 3300 and 1200-1000 cm<sup>-1</sup> which was similar to the finished cotton fabric with AP423. In addition, the new absorption peaks at 1635 cm<sup>-1</sup> (amide I) and 1525 cm<sup>-1</sup> (amide II) of keratin were also presented on cotton fabric. The combination of AP423 and crude keratin onto cotton fabrics presented the similar peaks to the previous finished fabrics but the different characteristic peak at 800 cm<sup>-1</sup> (P-O) was found because of the low dispersion of crude keratin and AP423.

Thermal degradation of AP423, keratin and finished cotton fabrics: The thermal degradation of AP423 and the

finished cotton fabrics are shown in Fig. 3 AP423 presented two steps of weight loss. The first step started about 175°C to release ammonia gas (NH<sub>3</sub>) and water. The second step occurred about 600°C that was the decomposition temperature of AP423 to release volatile of phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) and phosphoric acid or polyphosphoric acid (Charuchinda et al., 2005; Hapuarachchi and Peijs, 2009). Moreover, AP423 presented a large amount of char residue at 39.5%. In case of finished cotton fabrics, all thermal degradation of fabrics finished with AP423 presented two steps that are evaporation step and degradation step. The finished cotton started to degrade about 250°C and char residue increased when amount of AP423 increased due to nonflammable gases (NH<sub>3</sub>) released to dilute flammable gases in pyrolysis. It was found that the cotton fabric finished with 7 wt% of AP423 presented the highest amount of char residue (34%).

The thermal degradation of the finished cotton fabrics with commercial keratin are shown in Fig. 4 and crude keratin are shown in Fig. 5. Both commercial keratin and crude keratin presented two steps of weight loss. The first step was the evaporation step occurred below 100°C. The second step was the degradation step of keratin from about 200°C up to about 600°C to release nonflammable gases that are ammonia gas (NH<sub>3</sub>) and sulfur dioxide gas (SO<sub>2</sub>) (Brebu and Spiridon, 2011). Commercial keratin started to degrade at higher temperature (~250°C) than that of crude keratin (~200°C). Moreover, commercial keratin exhibited higher char residue (17.7%) than that of crude keratin (10%). All thermal degradation of finished cotton fabrics were similar to cotton fabric and presented two steps that are evaporation step and degradation step. The finished cotton fabrics started to degrade a similar temperature to cotton fabric at about 350°C and char residue increased when amount of keratin increased. The cotton fabric finished with 5 wt% of crude keratin presented higher amount of char residue (9.8%) than that of 5 wt% of commercial keratin (8.3%). This may be because crude keratin released nonflammable gases at lower temperature than that of commercial keratin which resulted in the interruption of the degradation of fabric.

The thermal degradation of cotton fabrics finished with AP423 and commercial keratin (KC5AP5) and crude keratin (KS5AP5) are shown in Fig. 6 and 7. All thermal degradation of finished cotton fabrics were similar to unfinished cotton fabric and presented two steps that are evaporation step and degradation step. The finished cotton fabrics started to degrade at about 260°C. The cotton fabric finished with 5 wt% of AP423 and 5 wt% of crude keratin (KS5AP5) presented higher amount of char residue (34%) than that of 5 wt% of AP423 and 5 wt% of




Fig. 3: TGA curve of AP423 and finished cotton fabrics with AP423




Fig. 4: TGA curve of commercial keratin (KC) and finished cotton fabrics with commercial keratin




Fig. 5: TGA curve of crude keratin (KS) and finished cotton fabrics with crude keratin

commercial keratin (KC5AP5) (31.5%). This may be due to crude keratin released nonflammable gases at lower temperature than that of commercial keratin to impart synergist activity with AP423 and interrupt the degradation of fabric.




Fig. 6: TGA curve of finished cotton fabrics with AP423 and commercial keratin




Fig. 7: TGA curve of finished cotton fabrics with AP423 and crude keratin

# Flame retardant properties of finished cotton fabrics:

Table 2 and 3 shows UL94 classifications of thin material in vertical burning test. The UL94 of unfinished cotton fabric and finished cotton fabrics with AP423 are shown in Table 4. Unfinished cotton fabric was UL94-rated as no rating because the fabric burned out. The afterglow of unfinished cotton fabric was observed for 49.72 sec. The cotton fabrics finished with 5 and 7 wt% of AP423 were UL94-rated as no rating and VTM-1, respectively. Afterglow were not observed. However, when the amount of AP423 increased to 10 wt%, the fabric was rated as VTM-0. The fabric burned after the second flame application <60 sec. Afterglow was not observed. This means that the fabric was classified as flame retardant fabric.

The UL94 of finished cotton fabrics with keratin and combination of AP423 and keratin are shown in Table 4 and 5. Both finished cotton fabrics with commercial keratin and crude keratin were UL94-rated as no rating as well as unfinished cotton fabric. The afterglow of cotton fabrics finished with 5 wt% of commercial keratin and 5

Table 2: Thermal degradation of finished cotton fabrics with AP423, commercial keratin (KC) and crude keratin (KS)

| 1st degration (°C) |        | 2nd degration (°C) |        |         | 1st degration (°C) |             |        | 2nd degration (°C) |        |         |               |
|--------------------|--------|--------------------|--------|---------|--------------------|-------------|--------|--------------------|--------|---------|---------------|
|                    |        |                    |        |         | Char               |             |        |                    |        |         | Char          |
| Variables          | On set | End set            | On set | End set | rersidule (%)      | Formulation | On set | End set            | On set | End set | rersidule (%) |
| Unfinished fabric  | 70     | 105                | 349    | 391     | 7.3                | KC5         | 68     | 113                | 348    | 397     | 8.3           |
| AP423              | 176    | 393                | 607    | 711     | 39.5               | KS          | 65     | 91                 | 205    | 386     | 10.0          |
| AP1                | 64     | 106                | 273    | 326     | 22.7               | KS1         | 71     | 117                | 351    | 398     | 8.8           |
| AP3                | 63     | 106                | 253    | 305     | 30.0               | KS3         | 69     | 118                | 341    | 397     | 9.4           |
| AP5                | 64     | 105                | 255    | 302     | 31.0               | KS5         | 70     | 110                | 342    | 398     | 9.8           |
| AP7                | 63     | 108                | 251    | 297     | 34.0               | KC3AP5      | 63     | 107                | 257    | 305     | 31.8          |
| KC                 | 71     | 116                | 247    | 408     | 17.7               | KC5AP5      | 63     | 105                | 262    | 304     | 31.5          |
| KC1                | 70     | 111                | 348    | 397     | 7.1                | KS3AP5      | 62     | 110                | 256    | 301     | 33.2          |
| KC3                | 68     | 114                | 342    | 399     | 8.6                | KS5AP5      | 65     | 110                | 266    | 308     | 34.0          |

Table 3: Thin material vertical burning test classifications (ASTM D 4804 or ISO 9773)

| Conditions   | VTM-0   | VTM-1    | VTM-2    |
|--|---------|----------|----------|
| Afterflame time for each individual specimen (t1 or t2)  | ≤10 sec | ≤30 sec  | ≤30 sec  |
| Total afterflame time for any condition set (t1+t2 for 5 specimens)                                    | ≤50 sec | ≤250 sec | ≤250 sec |
| Afterflame plus afterglow time for each individual specimen after the second flame application (t2+t3) | ≤30 sec | ≤60 sec  | ≤60 sec  |
| Afterflame or afterglow of any specimen up to the 125 mm mark (t1 or t3 (to 125 mm))                   | No      | No       | No       |
| Cotton indicator ignited by flaming particles or drops   | No      | No       | Yes      |

Table 4: UL94 of unfinished cotton fabric and finished cotton fabrics with AP423, commercial keratin and crude keratin

| Conditions                                     | Unfinished fabric | AP5%      | AP7%      | AP10%   | KC5%      | KS5%      |
|--|-------------------|-----------|-----------|---------|-----------|-----------|
| $t_1$ or $t_2$                                 | 26.76 sec         | 14.68 sec | 17.08 sec | 9.2 sec | 19.96 sec | 23.46 sec |
| t <sub>1</sub> +t <sub>2</sub> for 5 specimens | 133.8 sec         | 73.4 sec  | 85.4 sec  | 46 sec  | 99.8 sec  | 117.3 sec |
| $t_2 + t_3$                                    | 49.72 sec         | 0 sec     | 0 sec     | 0 sec   | 42.34 sec | 39.28 sec |
| $t_1 \text{ or } t_3 (125 \text{ mm})$         | Yes               | Yes       | No        | No      | Yes       | Yes       |
| Cotton pad ignition                            | No                | No        | No        | No      | No        | No        |
| UL94 rating                                    | No rating         | No rating | VTM-1     | VTM-0   | No rating | No rating |

Table 5: UL94 of finished cotton fabrics with combination of AP423 and keratin

| Conditions                                     | KC1AP5    | KC3AP5    | KC5AP5    | KS1AP5    | KS3AP5    | KS5AP5    |
|--|-----------|-----------|-----------|-----------|-----------|-----------|
| t <sub>1</sub> or t <sub>2</sub>               | 13.8 sec  | 13.66 sec | 14.72 sec | 15.42 sec | 13.34 sec | 15.22 sec |
| t <sub>1</sub> +t <sub>2</sub> for 5 specimens | 69 sec    | 68.3 sec  | 73.6 sec  | 77.1 sec  | 66.7 sec  | 76.1 sec  |
| $t_2 + t_3$                                    | 0 sec     |
| $t_1 \text{ or } t_3 (125 \text{ mm})$         | Yes       | No        | No        | Yes       | No        | No        |
| Cotton pad ignition                            | No        | No        | No        | No        | No        | No        |
| UL94 rating                                    | No rating | VTM-1     | VTM-1     | No rating | VTM-1     | VTM-1     |

wt% of crude keratin were observed for 42.34 and 39.28s. respectively. The combination of 5 wt% of AP423 and 3 wt% of keratin (KC3AP5 and KS3AP5) and 5 wt% of AP423 and 5 wt% of keratin (KC5AP5 and KS5AP5) onto cotton fabrics were UL94-rated as VTM-1 and afterglow were also not observed. The finished cotton fabric with 5 wt% of AP423 and 3 wt% of crude keratin (KS3AP5) presented the lowest afterflame time (13.34s). This may be due to crude keratin released nonflammable gases at lower temperature than commercial keratin which resulted in the interruption of the degradation of fabric. The synergistic effect of AP423 and keratin can be explained that when keratin was heated, non-flammable gases (NH3 and SO<sub>2</sub>) were released and increased non-flammable gas (NH<sub>3</sub>) from AP423 to dilute oxygen in pyrolysis (Charuchinda et al., 2005; Gaan et al., 2008).

#### CONCLUSION

Cotton fabric was finished with 1, 3, 5 and 7 wt% of commercial ammonium polyphosphate (AP423), commercial human hair keratin and crude human hair

keratin. FTIR spectra affirmed that the performance of AP423 and keratin onto the finished fabric. The thermal degradation rate of finished cotton fabrics decreased when the amount of AP423 and keratin increased. The combination of 5 wt% of AP423 and 3 wt% of crude keratin (KS3AP5) exhibited the lowest thermal degradation rate and the highest amount of char residue. Thus, thermal degradation of finished cotton fabrics depended on amount of AP423 and keratin and non-flammable gases release rate of keratin. UL94 flammability test of the finished cotton fabric with 10 wt% of AP423 was rated as VTM-0. This means that this finished fabric was classified as flame retardant fabric. However, the finished cotton fabric with 5 wt% of AP423 and 3 wt% of crude keratin (KS3AP5) was UL94 rated as VTM-1 and presented the lower afterflame time than that of the finished cotton fabrics with 5 wt% of AP423 alone and also with the same ratios of the combination of AP423 and commercial keratin. This may be due to crude keratin released nonflammable gases at lower temperature than commercial keratin and impart the synergistic effect with AP423. In future study, the intumescent system and char residue

analysis of cotton fabric finished with AP423 and keratin will be studied and used to better understand the synergistic effect of ammonium polyphosphate and keratin onto cotton fabric.

# **ACKNOWLEDGEMENTS**

The researchers gratefully acknowledge the Ratchadapisek Sompoch Endowment Fund (2015), Chulalongkorn University (CU-58-034-AM) and the 90th Anniversary of Chulalongkorn University Fund (Ratchadapisek Sompoch Endowment Fund) for their financial support.

## REFERENCES

- Brebu, M. and I. Spiridon, 2011. Thermal degradation of keratin waste. J. Anal. Appl. Pyrolysis, 91: 288-295.
- Carosio, F., J. Alongi and G. Malucelli, 2012. Layer by layer ammonium polyphosphate-based coatings for flame retardancy of polyester-cotton blends. Carbohydr. Polym., 88: 1460-1469.
- Chaliewsak, J. and S. Charuchinda, 2013. Extraction of keratins from human hair at low pressure and their characterization. Adv. Mater. Res., 747: 694-697.
- Charuchinda, S., K. Srikulkit and T. Mowattana, 2005. Co-application of sodium polyphosphate and chitosan to improve flame retardancy of cotton fabric. J. Sci. Res. Chula. Univ., 30: 97-107.
- Chung, C., M. Lee and E.K. Choe, 2004. Characterization of cotton fabric scouring by FTIR-ATR spectroscopy. Carbohydr. Polym., 58: 417-420.
- Dittrich, B., K.A. Wartig, R. Mulhaupt and B. Schartel, 2014. Flame-retardancy properties of intumescent ammonium poly (phosphate) and mineral filler magnesium hydroxide in combination with graphene. Polym., 6: 2875-2895.

- Drevelle, C., J. Lefebvre, S. Duquesne, L.M. Bras and F. Poutch *et al.*, 2005. Thermal and fire behaviour of ammonium polyphosphate-acrylic coated cotton-PESFR fabric. Polym. Degrad. Stab., 88: 130-137.
- Gaan, S., G. Sun, K. Hutches and M.H. Engelhard, 2008. Effect of nitrogen additives on flame retardant action of tributyl phosphate: Phosphorus-nitrogen synergism. Polym. Degrad. Stab., 93: 99-108.
- Hapuarachchi, T.D. and T. Pejis, 2009. Aluminium trihydroxide in combination with ammonium polyphosphate as flame retardants for unsaturated polyester resin. Polym. Lett., 3: 743-751.
- Hill, P., H. Brantley and V.M. Dyke, 2010. Some properties of keratin biomaterials: Kerateines. Biomater., 31: 585-593.
- Nakamura, A., M. Arimoto, K. Takeuchi and T. Fujii, 2002. A rapid extraction procedure of human hair proteins and identification of phosphorylated species. Biol. Pharm. Bull., 25: 569-572.
- Rouse, J.G. and M.E. Van-Dyke, 2010. A review of keratin-based biomaterials for biomedical applications. Materials, 3: 999-1010.
- Tian, C.M., Z. Li, H.Z. Guo and J.Z. Xu, 2003. Study on the thermal degradation of flame retardant wools. J. Fire Sci., 21: 155-162.
- Xia, Y., F. Jin, Z. Mao, Y. Guan and A. Zheng, 2014. Effects of ammonium polyphosphate to pentaerythritol ratio on composition and properties of carbonaceous foam deriving from intumescent flame-retardant polypropylene. Polym. Degrad. Stab., 107: 64-73.
- Xu, W., G. Ke, J. Wu and X. Wang, 2006. Modification of wool fiber using steam explosion. Eur. Polym. J., 42: 2168-2173.